# antibodies .- online.com







# anti-SLC22A5 antibody (AA 42-142) (HRP)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μg
Target:	SLC22A5
Binding Specificity:	AA 42-142
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC22A5 antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Solute carrier family 22 member 5 protein (42-142AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

### Target Details

Target:	SLC22A5	
Alternative Name:	SLC22A5 (SLC22A5 Products)	
Background:	Background: Sodium-ion dependent, high affinity carnitine transporter. Involved in the activ	
	cellular uptake of carnitine. Transports one sodium ion with one molecule of carnitine. Also	

#### **Target Details**

transports organic cations such as tetraethylammonium (TEA) without the involvement of sodium. Also relative uptake activity ratio of carnitine to TEA is 11.3.

Aliases: CDSP antibody, High-affinity sodium-dependent carnitine cotransporter antibody, OCTN2 antibody, OCTN2VT antibody, Organic cation/carnitine transporter 2 antibody, S22A5\_HUMAN antibody, Slc22a5 antibody, Solute carrier family 22 (organic cation/carnitine transporter) member 5 antibody, Solute carrier family 22 member 5 antibody

UniProt:

076082

## Application Details

Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
- Tarraming		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300	
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	

Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C