## antibodies -online.com





## anti-Solute Carrier Organic Anion Transporter Family, Member 3A1 (SLCO3A1) (AA 439-539) antibody (HRP)



Go to Product page

( )	۱ ۱	$\cap$	r	/1	$\cap$	۱ ۸	1
0	'V	ㄷ	I١	νı	ㄷ	٧	۷

Overview		
Quantity:	100 μg	
Target:	Solute Carrier Organic Anion Transporter Family, Member 3A1 (SLCO3A1)	
Binding Specificity:	AA 439-539	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	HRP	
Application:	ELISA	
Product Details		
Immunogen:	Recombinant Human Solute carrier organic anion transporter family member 3A1 protein (439-	
	539AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	
Target Details		
Target:	Solute Carrier Organic Anion Transporter Family, Member 3A1 (SLCO3A1)	
Alternative Name:	SLC03A1 (SLC03A1 Products)	
Background:	Background: Mediates the Na(+)-independent transport of organic anions such as estrone-3-	

## **Target Details**

sulfate (PubMed:10873595). Mediates transport of prostaglandins (PG) E1 and E2, thyroxine (T4), deltorphin II, BQ-123 and vasopressin, but not DPDPE (a derivative of enkephalin lacking an N-terminal tyrosine residue), estrone-3-sulfate, taurocholate, digoxin nor DHEAS (PubMed:16971491).

Aliases: SLCO3A1 antibody, OATP3A1 antibody, OATPD antibody, SLC21A11 antibody, Solute carrier organic anion transporter family member 3A1 antibody, OATP3A1 antibody, Organic anion transporter polypeptide-related protein 3 antibody, OATP-RP3 antibody, OATPRP3 antibody, Organic anion-transporting polypeptide D antibody, OATP-D antibody, PGE1 transporter antibody, Sodium-independent organic anion transporter D antibody, Solute carrier family 21 member 11 antibody

UniProt:

Q9UIG8

## **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	-20 °C,-80 °C		
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.		