

Datasheet for ABIN717033

anti-Oncostatin M antibody (AA 165-252) (FITC)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Oncostatin M (OSM)
Binding Specificity:	AA 165-252
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Oncostatin M antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Oncostatin M
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	Oncostatin M (OSM)
Alternative Name:	Oncostatin M (OSM Products)
Background:	Synonyms: ONCM_HUMAN, Oncostatin M, Oncostatin M precursor, Oncostatin-M, OSM.

Target Details

Background: Growth regulator. Inhibits the proliferation of a number of tumor cell lines.

Stimulates proliferation of AIDS-KS cells. It regulates cytokine production, including IL-6, G-CSF and GM-CSF from endothelial cells. Uses both type I OSM receptor (heterodimers composed of LIPR and IL6ST) and type II OSM receptor.

Gene ID: 5008

Pathways: [JAK-STAT Signaling](#), [Negative Regulation of Hormone Secretion](#)

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months