# antibodies -online.com





## anti-SPAG8 antibody (AA 236-409) (Biotin)



| _      |      |  |
|--------|------|--|
| ( )Ver | view |  |

| Quantity:            | 100 μg                                      |
|----------------------|---------------------------------------------|
| Target:              | SPAG8                                       |
| Binding Specificity: | AA 236-409                                  |
| Reactivity:          | Human                                       |
| Host:                | Rabbit                                      |
| Clonality:           | Polyclonal                                  |
| Conjugate:           | This SPAG8 antibody is conjugated to Biotin |
| Application:         | ELISA                                       |

#### **Product Details**

| Immunogen:        | Recombinant Human Sperm-associated antigen 8 protein (236-409AA) |
|-------------------|------------------------------------------------------------------|
| Isotype:          | IgG                                                              |
| Cross-Reactivity: | Human                                                            |
| Purification:     | >95%, Protein G purified                                         |

### Target Details

| Target:           | SPAG8                                                                                       |
|-------------------|---------------------------------------------------------------------------------------------|
| Alternative Name: | SPAG8 (SPAG8 Products)                                                                      |
| Background:       | Background: Plays a role in spermatogenesis by enhancing the binding of CREM isoform tau to |
|                   | its coactivator FHL5 and increasing the FHL5-regulated transcriptional activation of CREM   |

isoform tau (By similarity). Involved in the acrosome reaction and in binding of sperm to the zona pellucida (By similarity). Plays a role in regulation of the cell cycle by controlling progression through the G2/M phase, possibly by delaying the activation of CDK1 which is required for entry into mitosis (PubMed:19548270). May play a role in fertility and microtubule formation through interaction with RANBP9 (PubMed:10500252).

Aliases: BS 84 antibody, CILD28 antibody, HSD 1 antibody, HSD-1 antibody, HSD1 antibody, hSMP1 antibody, MGC26201 antibody, MH SPAG8 antibody, OTTHUMP00000021352 antibody, OTTMUSP00000032209 antibody, SMP-1 antibody, SMP1 antibody, SPAG3 antibody, SPAG8 antibody, SPAG8\_HUMAN antibody, Sperm associated antigen 8 antibody, Sperm associated antigen 8 like protein antibody, Sperm membrane protein 1 antibody, Sperm membrane protein BS-84 antibody, Sperm-associated antigen 8 antibody, Testicular tissue protein Li 177 antibody

UniProt:

Q99932

#### **Application Details**

| Application Notes: | Optimal working dilution should be determined by the investigator.                 |
|--------------------|------------------------------------------------------------------------------------|
| Restrictions:      | For Research Use only                                                              |
| Handling           |                                                                                    |
| Format:            | Liquid                                                                             |
| Buffer:            | Preservative: 0.03 % Proclin 300                                                   |
|                    | Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4                                     |
| Preservative:      | ProClin                                                                            |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
|                    | handled by trained staff only.                                                     |
| Storage:           | -20 °C,-80 °C                                                                      |
| Storage Comment:   | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                      |