# antibodies .- online.com





## anti-Pre-mRNA Branch Site Protein p14 (SF3B14) (AA 1-125) antibody



Go to Product page

### 1 Image

Overview	
Quantity:	100 μg
Target:	Pre-mRNA Branch Site Protein p14 (SF3B14)
Binding Specificity:	AA 1-125
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Immunogen:	Recombinant Human Splicing factor 3B subunit 6 protein (1-125AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

#### Target Details

Target:	Pre-mRNA Branch Site Protein p14 (SF3B14)
Alternative Name:	SF3B6 (SF3B14 Products)
Background:	Background: Necessary for the splicing of pre-mRNA. Directly contacts the pre-mRNA branch
	site adenosine for the first catalytic step of splicing. Enters the spliceosome and associates

#### **Target Details**

with the pre-mRNA branch site as part of the 17S U2 or, in the case of the minor spliceosome, as part of the 18S U11/U12 snRNP complex, and thus may facilitate the interaction of these snRNP with the branch sites of U2 and U12 respectively.

Aliases: Ht006 antibody, P14 antibody, PM14\_HUMAN antibody, Pre mRNA branch site protein p14 antibody, Pre-mRNA branch site protein p14 antibody, SAP14 antibody, SF3B 14 kDa subunit antibody, SF3B14 antibody, SF3B14a antibody, Splicing factor 3B, 14 kDa subunit antibody

UniProt:


Q9Y3B4

#### **Application Details**

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### **Immunohistochemistry**

**Image 1.** Immunohistochemistry of paraffin-embedded human colon cancer using ABIN7170624 at dilution of 1:100