

# Datasheet for ABIN7170754

# anti-CYP17A1 antibody (AA 24-508) (Biotin)



#### Overview

Quantity:	100 μg
Target:	CYP17A1
Binding Specificity:	AA 24-508
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP17A1 antibody is conjugated to Biotin
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Steroid 17-alpha-hydroxylase/17,20 lyase protein (24-508AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## **Target Details**

Target:	CYP17A1
Alternative Name:	CYP17A1 (CYP17A1 Products)
Background:	Background: Conversion of pregnenolone and progesterone to their 17-alpha-hydroxylated products and subsequently to dehydroepiandrosterone (DHEA) and androstenedione. Catalyzes

both the 17-alpha-hydroxylation and the 17,20-lyase reaction. Involved in sexual development during fetal life and at puberty.

Aliases: 20 Iyase antibody, CP17A\_HUMAN antibody, CPT7 antibody, CYP17 antibody, CYP17A1 antibody, CYPXVII antibody, Cytochrome P450 17A1 antibody, Cytochrome P450 family 17 antibody, Cytochrome P450 family 17 subfamily A polypeptide 1 antibody, Cytochrome p450 subfamily XVII (steroid 17 alpha hydroxylase) adrenal hyperplasia antibody, Cytochrome p450 XVIIA1 antibody, Cytochrome P450-C17 antibody, Cytochrome P450c17 antibody, OTTHUMP00000020382 antibody, P450 C17 antibody, P450c17 antibody, S17AH antibody, Steroid 17 alpha hydroxylase/17,20 lyase antibody, Steroid 17 alpha monooxygenase antibody, Steroid 17-alpha-hydroxylase/17 antibody, Steroid 17-alpha-monooxygenase antibody

UniProt:

P05093

Pathways:

Metabolism of Steroid Hormones and Vitamin D, Steroid Hormone Biosynthesis, Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic Process, C21-Steroid Hormone Metabolic Process, Cellular Response to Molecule of Bacterial Origin

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300  Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.