



[Go to Product page](#)

Datasheet for ABIN7170770

anti-CYP27A1 antibody (AA 290-407)

2 Images

Overview

Quantity:	100 µg
Target:	CYP27A1
Binding Specificity:	AA 290-407
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP27A1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Sterol 26-hydroxylase, mitochondrial protein (290-407AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CYP27A1
Alternative Name:	CYP27A1 (CYP27A1 Products)
Background:	Background: Catalyzes the first step in the oxidation of the side chain of sterol intermediates, the 27-hydroxylation of 5-beta-cholestane-3-alpha,7-alpha,12-alpha-triol. Has also a vitamin D3-

Target Details

25-hydroxylase activity.

Aliases: 12-alpha-triol 27-hydroxylase antibody, 5-beta-cholestane-3-alpha antibody, 5-beta-cholestane-3-alpha, 7-alpha, 12-alpha-triol 26-hydroxylase antibody, 5-beta-cholestane-3-alpha, 7-alpha, 12-alpha-triol 27-hydroxylase antibody, 5-beta-cholestane-3-alpha,7-alpha,12-alpha-triol 27-hydroxylase antibody, 7-alpha antibody, Cholestanetriol 26 monooxygenase antibody, CP27 antibody, CP27A_HUMAN antibody, CTX antibody, CYP antibody, CYP27 antibody, CYP27A1 antibody, Cytochrome P 450C27/25 antibody, Cytochrome P-450C27/25 antibody, Cytochrome P450 27 antibody, Cytochrome P450 27 mitochondrial antibody, Cytochrome P450 family 27 subfamily A member 1 antibody, Cytochrome P450 family 27 subfamily A polypeptide 1 antibody, Cytochrome P450 subfamily XXVIIA (steroid 27-hydroxylase cerebrotendinous xanthomatosis) polypeptide 1 antibody, mitochondrial antibody, Sterol 26 hydroxylase antibody, Sterol 26 hydroxylase mitochondrial antibody, Sterol 26-hydroxylase antibody, Sterol 27 hydroxylase antibody, Sterol 27-hydroxylase antibody, Vitamin D(3) 25 hydroxylase antibody, Vitamin D(3) 25-hydroxylase antibody

UniProt: [Q02318](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human kidney tissue using ABIN7170770 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human liver cancer using ABIN7170770 at dilution of 1:100