antibodies .- online.com







anti-SDHAF1 antibody (AA 78-115) (FITC)



\sim	
()\/△	rview
\cup	1 410 44

Overview	
Quantity:	100 μg
Target:	SDHAF1
Binding Specificity:	AA 78-115
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SDHAF1 antibody is conjugated to FITC
Application:	Please inquire
Product Details	
Immunogen:	Recombinant Human Succinate dehydrogenase assembly factor 1, mitochondrial protein (78-115AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified
Target Details	
Target:	SDHAF1
Alternative Name:	SDHAF1 (SDHAF1 Products)
Background:	Background: Plays an essential role in the assembly of succinate dehydrogenase (SDH), an

Target Details

enzyme complex (also referred to as respiratory complex II) that is a component of both the tricarboxylic acid (TCA) cycle and the mitochondrial electron transport chain, and which couples the oxidation of succinate to fumarate with the reduction of ubiquinone (coenzyme Q) to ubiquinol. Promotes maturation of the iron-sulfur protein subunit SDHB of the SDH catalytic dimer, protecting it from the deleterious effects of oxidants. May act together with SDHAF3. Aliases: LYR motif containing 8 antibody, LYR motif-containing protein 8 antibody, LYRM8 antibody, mitochondrial antibody, SDH assembly factor 1 antibody, SDHAF1 antibody, SDHF1_HUMAN antibody, Succinate dehydrogenase assembly factor 1 mitochondrial antibody, Succinate dehydrogenase complex assembly factor 1 antibody

UniProt:

A6NFY7

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.