



[Go to Product page](#)

Datasheet for ABIN7170977

## anti-SUN2 antibody (AA 45-155) (FITC)

### Overview

Quantity:	100 µg
Target:	SUN2
Binding Specificity:	AA 45-155
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SUN2 antibody is conjugated to FITC
Application:	Please inquire

### Product Details

Immunogen:	Recombinant Human SUN domain-containing protein 2 protein (45-155AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	SUN2
Alternative Name:	SUN2 ( <a href="#">SUN2 Products</a> )
Background:	Background: As a component of the LINC (Linker of Nucleoskeleton and Cytoskeleton) complex, involved in the connection between the nuclear lamina and the cytoskeleton. The

## Target Details

nucleocytoplasmic interactions established by the LINC complex play an important role in the transmission of mechanical forces across the nuclear envelope and in nuclear movement and positioning. Specifically, SYNE2 and SUN2 assemble in arrays of transmembrane actin-associated nuclear (TAN) lines which are bound to F-actin cables and couple the nucleus to retrograde actin flow during actin-dependent nuclear movement. Required for interkinetic nuclear migration (INM) and essential for nucleokinesis and centrosome-nucleus coupling during radial neuronal migration in the cerebral cortex and during glial migration. Required for nuclear migration in retinal photoreceptor progenitors implicating association with cytoplasmic dynein-dynactin and kinesin motor complexes, and probably B-type lamins, SUN1 and SUN2 seem to act redundantly. The SUN1/2:KASH5 LINC complex couples telomeres to microtubules during meiosis, SUN1 and SUN2 seem to act at least partial redundantly. Anchors chromosome movement in the prophase of meiosis and is involved in selective gene expression of coding and non-coding RNAs needed for gametogenesis. Required for telomere attachment to nuclear envelope and gametogenesis. May also function on endocytic vesicles as a receptor for RAB5-GDP and participate in the activation of RAB5.

Aliases: SUN2 antibody, FRIGG antibody, KIAA0668 antibody, RAB5IP antibody, UNC84B antibody, SUN domain-containing protein 2 antibody, Protein unc-84 homolog B antibody, Rab5-interacting protein antibody, Rab5IP antibody, Sad1/unc-84 protein-like 2 antibody

UniProt: [Q9UH99](#)

Pathways: [Maintenance of Protein Location](#), [SARS-CoV-2 Protein Interactome](#), [The Global Phosphorylation Landscape of SARS-CoV-2 Infection](#)

## Application Details

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

## Handling

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.