antibodies .-online.com

## Datasheet for ABIN7171409 anti-CD96 antibody (AA 306-395) (Biotin)



Overview

| Quantity:            | 100 µg                                     |
|----------------------|--|
| Target:              | CD96                                       |
| Binding Specificity: | AA 306-395                                 |
| Reactivity:          | Human                                      |
| Host:                | Rabbit                                     |
| Clonality:           | Polyclonal                                 |
| Conjugate:           | This CD96 antibody is conjugated to Biotin |
| Application:         | ELISA                                      |

## Product Details

| Immunogen:        | Recombinant Human T-cell surface protein tactile protein (306-395AA) |
|-------------------|--|
| Isotype:          | lgG  |
| Cross-Reactivity: | Human  |
| Purification:     | >95%, Protein G purified   |

## Target Details

| Target:           | CD96  |
|-------------------|---|
| Alternative Name: | CD96 (CD96 Products)  |
| Background:       | Background: May be involved in adhesive interactions of activated T and NK cells during the |
|                   | late phase of the immune response. Promotes NK cell-target adhesion by interacting with PVR |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7171409 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

Buffer:

Preservative:

Storage:

Precaution of Use:

|                     | present on target cells. May function at a time after T and NK cells have penetrated the        |
|---------------------|---|
|                     | endothelium using integrins and selectins, when they are actively engaging diseased cells and   |
|                     | moving within areas of inflammation.  |
|                     | Aliases: CD96 antibody, CD96 Molecule antibody, Cell surface antigen CD96 antibody,             |
|                     | DKFZp667E2122 antibody, MGC22596 antibody, T cell activated increased late expression           |
|                     | protein antibody, T cell activation, increased late expression antibody, T cell surface protein |
|                     | tactile precursor antibody, T cell-activated increased late expression protein antibody, T-cell |
|                     | surface protein tactile antibody, TACT_HUMAN antibody, Tactile antibody                         |
| UniProt:            | P40200  |
| Application Details |   |
| Application Notes:  | Optimal working dilution should be determined by the investigator.                              |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
|                     |   |

| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
|------------------|---|

handled by trained staff only.

Preservative: 0.03 % Proclin 300

ProClin

-20 °C,-80 °C

Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be