antibodies .- online.com







anti-CD96 antibody (AA 306-395) (FITC)



Overview

Quantity:	100 μg
Target:	CD96
Binding Specificity:	AA 306-395
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD96 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human T-cell surface protein tactile protein (306-395AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CD96
Alternative Name:	CD96 (CD96 Products)
Background:	Background: May be involved in adhesive interactions of activated T and NK cells during the
	late phase of the immune response. Promotes NK cell-target adhesion by interacting with PVR

Target Details

present on target cells. May function at a time after T and NK cells have penetrated the endothelium using integrins and selectins, when they are actively engaging diseased cells and moving within areas of inflammation.

Aliases: CD96 antibody, CD96 Molecule antibody, Cell surface antigen CD96 antibody, DKFZp667E2122 antibody, MGC22596 antibody, T cell activated increased late expression protein antibody, T cell activation, increased late expression antibody, T cell surface protein tactile precursor antibody, T cell-activated increased late expression protein antibody, T-cell surface protein tactile antibody, TACT_HUMAN antibody, Tactile antibody

UniProt:

P40200

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.