



[Go to Product page](#)

Datasheet for ABIN7171586

anti-TAX1BP1 antibody (AA 592-713)

1 Image

Overview

Quantity:	100 µg
Target:	TAX1BP1
Binding Specificity:	AA 592-713
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAX1BP1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

Product Details

Immunogen:	Recombinant Human Tax1-binding protein 1 protein (592-713AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	TAX1BP1
Alternative Name:	TAX1BP1 (TAX1BP1 Products)
Background:	Background: Inhibits TNF-induced apoptosis by mediating the TNFAIP3 anti-apoptotic activity. Degraded by caspase-3-like family proteins upon TNF-induced apoptosis. May also play a role

Target Details

in the pro-inflammatory cytokine IL-1 signaling cascade.

Aliases: 1200003J11Rik antibody, 1700069J21Rik antibody, Aa1076 antibody, AA930106 antibody, CALCOCO 3 antibody, CALCOCO3 antibody, D6Ert404e antibody, D6Ert4772e antibody, Human T cell leukemia virus type 1-binding protein antibody, Liver regeneration-related protein LRRG004 antibody, MGC94031 antibody, PRO0105 antibody, T6BP antibody, Tax1 (human T cell leukemia virus type I) binding protein antibody, Tax1 (human T cell leukemia virus type I) binding protein 1 antibody, Tax1 binding protein 1 antibody, Tax1 binding protein antibody, Tax1-binding protein 1 antibody, Tax1-binding protein 1 homolog antibody, TAX1BP1 antibody, TAX1BP1 protein antibody, tax1bp1b antibody, TAXB1_HUMAN antibody, TRAF 6 binding protein antibody, TRAF6 binding protein antibody, TRAF6 binding protein T6BP antibody, TRAF6-binding protein antibody, TRAF6-interacting protein antibody, TXBP 151 antibody, TXBP151 antibody, wu:fc20c12 antibody, wu:fc56e11 antibody, zgc:73219 antibody, zgc:77129 antibody

UniProt: [Q86VP1](#)

Pathways: [TLR Signaling](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot Positive WB detected in: Jurkat whole cell lysate All lanes: TAX1BP1 antibody at 5.5 µg/mL Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 91, 87, 66, 69 kDa Observed band size: 91, 69 kDa