



[Go to Product page](#)

Datasheet for ABIN7171919
anti-TTC27 antibody (AA 590-817)

3 Images

Overview

Quantity:	100 µg
Target:	TTC27
Binding Specificity:	AA 590-817
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC27 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Tetratricopeptide repeat protein 27 protein (590-817AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	TTC27
Alternative Name:	TTC27 (TTC27 Products)
Background:	FLJ20272 antibody, Tetratricopeptide repeat domain 27 antibody, Tetratricopeptide repeat protein 27 antibody, TPR repeat protein 27 antibody, TTC27 antibody, TTC27_HUMAN antibody

Target Details

UniProt: [Q6P3X3](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human placenta tissue using ABIN7171919 at dilution of 1:100



Western Blotting

Image 2. Western Blot Positive WB detected in: HeLa whole cell lysate, MCF-7 whole cell lysate All lanes: TTC27 antibody at 2.7 $\mu\text{g}/\text{mL}$ Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 97 kDa Observed band size: 97 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human glioma using ABIN7171919 at dilution of 1:100