



[Go to Product page](#)

Datasheet for ABIN7172041
anti-TMX2 antibody (AA 49-102)

2 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µg |
| Target: | TMX2 |
| Binding Specificity: | AA 49-102 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TMX2 antibody is un-conjugated |
| Application: | ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF) |

Product Details

| | |
|-------------------|--|
| Immunogen: | Recombinant Human Thioredoxin-related transmembrane protein 2 protein (49-102AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|---|
| Target: | TMX2 |
| Alternative Name: | TMX2 (TMX2 Products) |
| Background: | Cell proliferation inducing gene 26 protein antibody, Cell proliferation-inducing gene 26 protein antibody, CGI 31 antibody, Growth inhibiting gene 11 antibody, PDIA12 antibody, PIG26 |

Target Details

antibody, Protein disulfide isomerase family A, member 12 antibody, Thioredoxin domain containing protein 14 antibody, Thioredoxin domain-containing protein 14 antibody, Thioredoxin related transmembrane protein 2 antibody, Thioredoxin-related transmembrane protein 2 antibody, tmx2 antibody, TMX2_HUMAN antibody, TXNDC14 antibody

UniProt: [Q9Y320](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using ABIN7172041 at dilution of 1:100



Immunofluorescence

Image 2. Immunofluorescent analysis of MCF-7 cells using ABIN7172041 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)