# antibodies - online.com







# anti-TRAF4 antibody (AA 251-470)

**Images** 



#### Overview

Quantity:	100 μL
Target:	TRAF4
Binding Specificity:	AA 251-470
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAF4 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Immunogen:	Recombinant Human TNF receptor-associated factor 4 protein (251-470AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

## Target Details

Target:	TRAF4
Alternative Name:	TRAF4 (TRAF4 Products)
Background:	Background: Adapter protein and signal transducer that links members of the tumor necrosis factor receptor (TNFR) family to different signaling pathways. Plays a role in the activation of

#### **Target Details**

NF-kappa-B and JNK, and in the regulation of cell survival and apoptosis. Regulates activation of NF-kappa-B in response to signaling through Toll-like receptors. Required for normal skeleton development, and for normal development of the respiratory tract (By similarity). Required for activation of RPS6KB1 in response to TNF signaling. Modulates TRAF6 functions.

Aliases: CART 1 antibody, CART1 antibody, cysteine rich domain associated with ring and TRAF domain antibody, Cysteine rich domain associated with RING and Traf domains protein 1 antibody, Cysteine-rich domain associated with RING and Traf domains protein 1 antibody, Malignant 62 antibody, Metastatic lymph node gene 62 protein antibody, MLN 62 antibody, TNF receptor associated factor 4 antibody, TNF receptor-associated factor 4 antibody, TRAF4\_HUMAN antibody, tumor necrosis receptor-associated factor 4 antibody

UniProt:


Q9BUZ4

### **Application Details**

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only


#### Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### **Immunohistochemistry**

**Image 1.** Immunohistochemistry of paraffin-embedded human breast cancer using ABIN7172240 at dilution of 1:100



#### **Immunohistochemistry**

**Image 2.** Immunohistochemistry of paraffin-embedded human lung cancer using ABIN7172240 at dilution of 1:100