
antibodies -online.com







anti-L3HYPDH antibody (AA 13-312) (FITC)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μg
Target:	L3HYPDH
Binding Specificity:	AA 13-312
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This L3HYPDH antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Trans-3-hydroxy-L-proline dehydratase protein (13-312AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	L3HYPDH	
Alternative Name:	L3HYPDH (L3HYPDH Products)	
Background:	Background: Catalyzes the dehydration of trans-3-hydroxy-L-proline to Delta(1)-pyrroline-2-	
	carboxylate (Pyr2C). May be required to degrade trans-3-hydroxy-L-proline from the diet and	

Target Details

Precaution of Use:

Storage Comment:

Storage:

l arget Details	
	originating from the degradation of proteins such as collagen-IV that contain it. Aliases: L3HYPDH antibody, C14orf149 antibody, Trans-3-hydroxy-L-proline dehydratase antibody, EC 4.2.1.77 antibody, Trans-L-3-hydroxyproline dehydratase antibody
UniProt:	Q96EM0
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

handled by trained staff only.

-20 °C,-80 °C

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be