antibodies -online.com





anti-EBF2 antibody (AA 53-254) (HRP)



Go to Product page

| () | 11/ | IN | /ie | A . |
|-----|-------------------|------|--------|--------|
| | / // | ۱ ات | / (− | ' \/\/ |
| | | | | |

| Quantity: | 100 μg |
|----------------------|---|
| Target: | EBF2 |
| Binding Specificity: | AA 53-254 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This EBF2 antibody is conjugated to HRP |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human Transcription factor COE2 protein (53-254AA) | |
|-------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | >95%, Protein G purified | |

Target Details

| Target: | EBF2 | |
|-------------------|--|--|
| Alternative Name: | EBF2 (EBF2 Products) | |
| Background: | Background: Transcription factor that, in osteoblasts, activates the decoy receptor for RANKL, | |
| | TNFRSF11B, which in turn regulates osteoclast differentiation. Acts in synergy with the Wnt- | |

Storage:

| Target Details | | |
|---------------------|---|--|
| | responsive LEF1/CTNNB1 pathway. Recognizes variations of the palindromic sequence 5\\\'- ATTCCCNNGGGAATT-3\\\' (By similarity). Aliases: EBF2 antibody, COE2Transcription factor COE2 antibody, Early B-cell factor 2 antibody, EBF-2 antibody | |
| UniProt: | Q9HAK2 | |
| Application Details | | |
| Application Notes: | Optimal working dilution should be determined by the investigator. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol 0.01M PRS_PH 7.4 | |

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

-20 °C,-80 °C