Datasheet for ABIN7172506 anti-DP2 antibody (AA 344-386) (Biotin)

-online.com antibodies



$\sim$		•	
()	)ver	۲\/I	/۸/ ۵
$\cup$		V I '	

Quantity:	100 µg
Target:	DP2 (TFDP2)
Binding Specificity:	AA 344-386
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DP2 antibody is conjugated to Biotin
Application:	ELISA

## Product Details

Immunogen:	Recombinant Human Transcription factor Dp-2 protein (344-386AA)	
Isotype:	lgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	DP2 (TFDP2)	
Alternative Name:	TFDP2 (TFDP2 Products)	
Background:	Background: Can stimulate E2F-dependent transcription. Binds DNA cooperatively with E2F	
	family members through the E2 recognition site, 5\\\'-TTTC[CG]CGC-3\\\', found in the	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7172506 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	promoter region of a number of genes whose products are involved in cell cycle regulation or in	
	DNA replication. The TFDP2:E2F complex functions in the control of cell-cycle progression from	
	G1 to S phase. The E2F1:DP complex appears to mediate both cell proliferation and apoptosis.	
	Blocks adipocyte differentiation by repressing CEBPA binding to its target gene promoters	
	(PubMed:20176812).	
	Aliases: DP2 antibody, E2F dimerization partner 2 antibody, Tfdp2 antibody, TFDP2_HUMAN	
	antibody, Transcription factor Dp 2 antibody, Transcription factor Dp-2 antibody	
UniProt:	Q14188	
Pathways:	Cell Division Cycle, Mitotic G1-G1/S Phases	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300	
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	