antibodies - online.com





Datasheet for ABIN7172580

anti-MAFB antibody (AA 168-323) (FITC)

Overview		
Quantity:	100 μg	
Target:	MAFB	
Binding Specificity:	AA 168-323	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MAFB antibody is conjugated to FITC	
Application:	Please inquire	
Product Details		
Immunogen:	Recombinant Human Transcription factor MafB protein (168-323AA)	
leatyne:	JaC	

Immunogen:	Recombinant Human Transcription factor MafB protein (168-323AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	MAFB
Alternative Name:	MAFB (MAFB Products)
Background:	Background: Acts as a transcriptional activator or repressor (PubMed:27181683). Plays a
	pivotal role in regulating lineage-specific hematopoiesis by repressing ETS1-mediated

transcription of erythroid-specific genes in myeloid cells. Required for monocytic, macrophage, osteoclast, podocyte and islet beta cell differentiation. Involved in renal tubule survival and F4/80 maturation. Activates the insulin and glucagon promoters. Together with PAX6, transactivates weakly the glucagon gene promoter through the G1 element. SUMO modification controls its transcriptional activity and ability to specify macrophage fate. Binds element G1 on the glucagon promoter (By similarity). Involved either as an oncogene or as a tumor suppressor, depending on the cell context.

Aliases: Kreisler antibody, Kreisler (mouse) maf related leucine zipper homolog antibody, Kreisler maf related leucine zipper homolog antibody, KRML antibody, MAF bZIP transcription factor B antibody, Maf-B antibody, Mafb antibody, MAFB/Kreisler basic region/leucine zipper transcription factor antibody, MAFB_HUMAN antibody, MGC43127 antibody, Segmentation protein KR antibody, Transcription factor MafB antibody, V maf musculoaponeurotic fibrosarcoma oncogene homolog B (avian) antibody, V-maf musculoaponeurotic fibrosarcoma oncogene homolog B antibody

UniProt:

Q9Y5Q3

Application Details

Restrictions:	
Restrictions.	

For Research Use only

Handling

. Tanamag	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.