

Datasheet for ABIN7173359 anti-TRIB1 antibody (AA 3-91) (FITC)



Go to Product page

_						
	W	0	rv	10	W	

Overview		
Quantity:	100 μg	
Target:	TRIB1	
Binding Specificity:	AA 3-91	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TRIB1 antibody is conjugated to FITC	
Application:	Please inquire	
Product Details		
Immunogen:	Recombinant Human Tribbles homolog 1 protein (3-91AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	
Target Details		
Target:	TRIB1	
Alternative Name:	TRIB1 (TRIB1 Products)	
Background:	Background: Adapter protein involved in protein degradation by interacting with RFWD2/COP1 ubiquitin ligase (PubMed:27041596). The RFWD2-binding motif is masked by autoinhibitory	

interactions with the protein kinase domain (PubMed:26455797). Serves to alter RFWD2 substrate specificity by directing the activity of RFWD2 toward CEBPA (PubMed:27041596). Binds selectively the recognition sequence of CEBPA (PubMed:26455797). Regulates myeloid cell differentiation by altering the expression of CEBPA in a RFWD2-dependent manner (By similarity). Controls macrophage, eosinophil and neutrophil differentiation via the COP1-binding domain (By similarity). Interacts with MAPK kinases and regulates activation of MAP kinases, but has no kinase activity (PubMed:15299019, PubMed:26455797).

Aliases: C8FW antibody, G-protein-coupled receptor-induced gene 2 protein antibody, GIG-2 antibody, GIG2 antibody, SKIP1 antibody, TRB-1 antibody, TRB1 antibody, Trib1 antibody, TRIB1_HUMAN antibody, Tribbles homolog 1 antibody

UniProt:

Q96RU8

Pathways:

Smooth Muscle Cell Migration

Application Details

Restrictions:

For Research Use only

Handling

Storage Comment:

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.