



Datasheet for ABIN7173421
anti-TRIM15 antibody (AA 122-387)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	TRIM15
Binding Specificity:	AA 122-387
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM15 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Tripartite motif-containing protein 15 protein (122-387AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	TRIM15
Alternative Name:	TRIM15 (TRIM15 Products)
Background:	Background: innate immune response, mesodermal cell fate determination, negative regulation of intracellular transport of viral material, negative regulation of viral release from host cell,

Target Details

positive regulation of NF-kappaB transcription factor activity, positive regulation of RIG-I signaling pathway, positive regulation of sequence-specific DNA binding transcription factor activity, positive regulation of type I interferon production

Aliases: HGNC:16284 antibody, RING finger protein 93 antibody, TRI15_HUMAN antibody, TRIM15 antibody, Tripartite motif containing 15 antibody, Tripartite motif protein 15 antibody, Tripartite motif-containing protein 15 antibody, Zinc finger protein 178 antibody, Zinc finger protein B7 antibody, ZNF178 antibody, ZNFB7 antibody

UniProt: [Q9C019](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human small intestine tissue using ABIN7173421 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: TRIM15 antibody at 2 μ g/mL Lane 1: Jurkat whole cell lysate Lane 2: Hela whole cell lysate Lane 3: HepG2 whole cell lysate Lane 4: A549 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 53, 13 kDa Observed band size: 53 kDa