-online.com antibodies

## Datasheet for ABIN7173537 anti-TSEN15 antibody (AA 1-171) (Biotin)



/er	

Quantity:	100 µg
Target:	TSEN15
Binding Specificity:	AA 1-171
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSEN15 antibody is conjugated to Biotin
Application:	ELISA

## Product Details

Immunogen:	Recombinant Human tRNA-splicing endonuclease subunit Sen15 protein (1-171AA)	
Isotype:	lgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	TSEN15	
Alternative Name:	TSEN15 (TSEN15 Products)	
Background:	Background: Non-catalytic subunit of the tRNA-splicing endonuclease complex, a complex	
	responsible for identification and cleavage of the splice sites in pre-tRNA. It cleaves pre-tRNA at	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7173537 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	the 5\' and 3\' splice sites to release the intron. The products are an intron and two tRNA half-
	molecules bearing 2\',3\' cyclic phosphate and 5\'-OH termini (PubMed:15109492,
	PubMed:27392077). There are no conserved sequences at the splice sites, but the intron is
	invariably located at the same site in the gene, placing the splice sites an invariant distance
	from the constant structural features of the tRNA body. The tRNA splicing endonuclease is also
	involved in mRNA processing via its association with pre-mRNA 3\'-end processing factors,
	establishing a link between pre-tRNA splicing and pre-mRNA 3\'-end formation, suggesting that
	the endonuclease subunits function in multiple RNA-processing events (PubMed:15109492).
	Aliases: TSEN15 antibody, C1orf19 antibody, SEN15 antibody, tRNA-splicing endonuclease
	subunit Sen15 antibody, SEN15 homolog antibody, HsSEN15 antibody, tRNA-intron
	endonuclease Sen15 antibody
UniProt:	Q8WW01
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.