antibodies -online.com





anti-TNFSF13 antibody (AA 105-247)

3 Images



Go to Product page

Overview

Overview	
Quantity:	100 μL
Target:	TNFSF13
Binding Specificity:	AA 105-247
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFSF13 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	Recombinant Human Tumor necrosis factor ligand superfamily member 13 protein (105-
	247AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified
Target Details	
Target:	TNFSF13
Alternative Name:	TNFSF13 (TNFSF13 Products)

the regulation of tumor cell growth. May be involved in monocyte/macrophage-mediated immunological processes.

Aliases: A proliferation inducing ligand antibody, A proliferation-inducing ligand antibody, APRIL antibody, CD256 antibody, TALL-2 antibody, TALL2 antibody, TNF related death ligand antibody, TNF- and APOL-related leukocyte expressed ligand 2 antibody, TNF-related death ligand 1 antibody, TNF13_HUMAN antibody, TNFSF13 antibody, TRDL-1 antibody, TRDL1 antibody, Tumor necrosis factor (ligand) superfamily, member 13 antibody, Tumor necrosis factor ligand superfamily member 13 antibody, Tumor necrosis factor related death ligand 1 antibody, UNQ383/PRO715 antibody, ZTNF2 antibody

UniProt:

075888

Pathways:


Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	Recommended dilution: WB:1:200-1:1000, IHC:1:20-1:200,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human pancreatic tissue using ABIN7173799 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: Tumor necrosis factor ligand superfamily member 13 antibody at 10 μg/mL + Hela whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 28, 26, 25, 37, 23 kDa Observed band size: 28 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human breast cancer using ABIN7173799 at dilution of 1:100