

Datasheet for ABIN7173806
anti-TNFSF14 antibody (AA 1-239)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	TNFSF14
Binding Specificity:	AA 1-239
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFSF14 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human Tumor necrosis factor ligand superfamily member 14 protein (1-239AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	TNFSF14
Alternative Name:	TNFSF14 (TNFSF14 Products)
Background:	Background: Cytokine that binds to TNFRSF3/LTBR. Binding to the decoy receptor TNFRSF6B modulates its effects. Activates NFκB, stimulates the proliferation of T-cells, and inhibits

Target Details

growth of the adenocarcinoma HT-29. Acts as a receptor for Herpes simplex virus.

Aliases: CD 258 antibody, CD258 antibody, CD258 antigen antibody, Delta transmembrane LIGHT antibody, Herpes virus entry mediator ligand antibody, Herpesvirus entry mediator A antibody, Herpesvirus entry mediator ligand antibody, herpesvirus entry mediator-ligand antibody, HVEM L antibody, HVEM-L antibody, HVEM L antibody, Ligand for herpesvirus entry mediator antibody, LIGHT antibody, LTg antibody, soluble form antibody, TNF14 antibody, TNF14_HUMAN antibody, TNFSF 14 antibody, Tnfsf14 antibody, TNFSF14 protein antibody, TR 2 antibody, TR2 antibody, Tumor necrosis factor (ligand) superfamily, member 14 antibody, Tumor necrosis factor ligand superfamily member 14 antibody, Tumor necrosis factor ligand superfamily, member 14 antibody, Tumor necrosis factor receptor like 2 antibody, tumor necrosis factor receptor-like 2 antibody, Tumor necrosis factor superfamily member 14 antibody, Tumor necrosis factor superfamily member LIGHT antibody

UniProt: [O43557](#)

Pathways: [Cancer Immune Checkpoints](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of A431 cells using ABIN7173806 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Western Blotting

Image 2. Western blot All lanes: TNFSF14 antibody at 2 μ g/mL Lane 1: EC109 whole cell lysate Lane 2: 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 27, 23 kDa Observed band size: 45 kDa