antibodies.com

Datasheet for ABIN7173877 anti-DR3/LARD antibody (AA 221-417)





Overview

Quantity:	100 µL
Target:	DR3/LARD (TNFRSF25)
Binding Specificity:	AA 221-417
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DR3/LARD antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Tumor necrosis factor receptor superfamily member 25 protein (221- 417AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified
Target Details	

Target:	DR3/LARD (TNFRSF25)
Alternative Name:	TNFRSF25 (TNFRSF25 Products)
Background:	Background: Receptor for TNFSF12/APO3L/TWEAK. Interacts directly with the adapter TRADD.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7173877 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Mediates activation of NF-kappa-B and induces apoptosis. May play a role in regulating lymphocyte homeostasis.

Aliases: Apo 3 antibody, Apo-3 antibody, Apo3 antibody, Apoptosis inducing receptor AIR antibody, Apoptosis inducing receptor antibody, Apoptosis mediating receptor antibody, Apoptosis mediating receptor DR 3 antibody, Apoptosis mediating receptor DR3 antibody, Apoptosis mediating receptor TRAMP antibody, Apoptosis-inducing receptor AIR antibody, Apoptosis-mediating receptor DR3 antibody, Apoptosis-mediating receptor TRAMP antibody, DDR 3 antibody, DDR3 antibody, Death domain receptor 3 antibody, Death domain receptor 3 soluble form antibody, Death receptor 3 antibody, Death receptor beta antibody, DR 3 antibody, DR3 antibody, LARD antibody, Lymphocyte associated receptor of death antibody, Lymphocyteassociated receptor of death antibody, Protein WSL antibody, Protein WSL-1 antibody, TNF receptor superfamily member 25 antibody, TNFR25 antibody, TNFRSF 12 antibody, TNFRSF 25 antibody, TNFRSF12 antibody, TNFRSF12, formerly antibody, TNFRSF25 antibody, TNR25_HUMAN antibody, TR 3 antibody, TR3 antibody, TRAMP antibody, Translocating chain association membrane protein antibody, Tumor necrosis factor receptor superfamily member 12 antibody, Tumor necrosis factor receptor superfamily member 25 antibody, Tumor necrosis factor receptor superfamily, member 12 (translocating chain association membrane protein) antibody, Tumor necrosis factor receptor superfamily, member 12, formerly antibody, WSL 1 antibody, WSL antibody, WSL LR antibody, WSL protein antibody, WSL1 antibody, WSL1 protein antibody, WSLLR antibody

UniProt:

Pathways:

Apoptosis

Q93038

Application Details


Application Notes:	Recommended dilution: WB:1:1000-1:5000,
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7173877 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Handling

	handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Western Blot Positive WB detected in: PC3 whole cell lysate, HepG2 whole cell lysate, MCF-7 whole cell lysate All lanes: TNFRSF25 antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 46, 24, 28, 20, 15, 14, 26, 41, 42, 30 kDa Observed band size: 46 kDa