



[Go to Product page](#)

Datasheet for ABIN7174254
anti-USP12 antibody (C-Term)

1 Image

Overview

Quantity:	100 µg
Target:	USP12
Binding Specificity:	AA 1-370, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP12 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Ubiquitin carboxyl-terminal hydrolase 12 protein (1-370AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	Antigen Affinity Purified

Target Details

Target:	USP12
Alternative Name:	USP12 (USP12 Products)
Background:	Background: Deubiquitinating enzyme. Has almost no deubiquitinating activity by itself and requires the interaction with WDR48 to have a high activity. Not involved in deubiquitination of

Target Details

monoubiquitinated FANCD2.

Aliases: Deubiquitinating enzyme 12 antibody, OTTHUMP00000042337 antibody, UBH 1 antibody, UBH1 antibody, Ubiquitin carboxyl terminal hydrolase 12 antibody, Ubiquitin carboxyl-terminal hydrolase 12 antibody, Ubiquitin hydrolyzing enzyme 1 antibody, Ubiquitin specific peptidase 12 antibody, Ubiquitin specific processing protease 12 antibody, Ubiquitin specific protease 12 like 1 antibody, Ubiquitin thioesterase 12 antibody, Ubiquitin thiolesterase 12 antibody, Ubiquitin-hydrolyzing enzyme 1 antibody, Ubiquitin-specific-processing protease 12 antibody, UBP12_HUMAN antibody, USP 12 antibody, Usp12 antibody, USP12L1 antibody

UniProt: [O75317](#)

Application Details

Application Notes: Recommended dilution: WB:1:200-1:1000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot All lanes: USP12 antibody at 2 μ g/mL + Mouse liver tissue Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 43 kDa
Observed band size: 43 kDa