



[Go to Product page](#)

Datasheet for ABIN7174263

anti-USP17L1 antibody (C-Term)

2 Images

Overview

Quantity:	100 µL
Target:	USP17L1 (USP17L1P)
Binding Specificity:	AA 19-235, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP17L1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

Product Details

Immunogen:	Recombinant Human Ubiquitin carboxyl-terminal hydrolase 17-like protein 1 protein (19-235AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	USP17L1 (USP17L1P)
Alternative Name:	USP17L1 (USP17L1P Products)
Background:	Background: Deubiquitinating enzyme that removes conjugated ubiquitin from specific proteins to regulate different cellular processes that may include cell proliferation, progression through

Target Details

the cell cycle, apoptosis, cell migration, and the cellular response to viral infection.

Aliases: USP17L1 antibody, USP17L antibody, USP17L1P antibody, Ubiquitin carboxyl-terminal hydrolase 17-like protein 1 antibody, EC 3.4.19.12 antibody, Deubiquitinating enzyme 17-like protein 1 antibody, Ubiquitin thioesterase 17-like protein 1 antibody, Ubiquitin-specific-processing protease 17-like protein 1 antibody

UniProt: [Q7RTZ2](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Western Blot Positive WB detected in: HeLa whole cell lysate, U87 whole cell lysate All lanes: USP17L1 antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 60 kDa Observed band size: 60 kDa



Western Blotting

Image 2. Western Blot Positive WB detected in: U87 whole cell lysate All lanes: USP17L1 antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 60 kDa Observed band size: 60 kDa