



[Go to Product page](#)

Datasheet for ABIN7174275  
**anti-USP17L6P antibody (C-Term)**

1 Image

### Overview

Quantity:	100 µL
Target:	USP17L6P
Binding Specificity:	AA 136-398, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP17L6P antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

### Product Details

Immunogen:	Recombinant Human Ubiquitin carboxyl-terminal hydrolase 17-like protein 6 protein (136-398AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	USP17L6P
Alternative Name:	USP17L6P ( <a href="#">USP17L6P Products</a> )
Background:	Background: Deubiquitinating enzyme that removes conjugated ubiquitin from specific proteins

## Target Details

---

to regulate different cellular processes that may include cell proliferation, progression through the cell cycle, cell migration, and the cellular response to viral infection. Seems to be non-functional in the regulation of apoptosis.

Aliases: USP17L6P antibody, USP17C antibody, USP17D antibody, USP17N antibody, Ubiquitin carboxyl-terminal hydrolase 17-like protein 6 antibody, EC 3.4.19.12 antibody, Deubiquitinating enzyme 17-like protein 6 antibody, Ubiquitin thioesterase 17-like protein 6 antibody, Ubiquitin-specific-processing protease 17-like protein 6 antibody

---

UniProt: [Q6QN14](#)

## Application Details

---

Application Notes: Recommended dilution: WB:1:1000-1:5000,

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### Western Blotting

**Image 1.** Western Blot Positive WB detected in: LO2 whole cell lysate, MCF-7 whole cell lysate, A549 whole cell lysate  
All lanes: USP17L6P antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 45 kDa Observed band size: 45 kDa