



[Go to Product page](#)

Datasheet for ABIN7174491 **anti-UBE2V1 antibody (AA 2-147) (FITC)**

Overview

Quantity:	100 µg
Target:	UBE2V1
Binding Specificity:	AA 2-147
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBE2V1 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Ubiquitin-conjugating enzyme E2 variant 1 protein (2-147AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	UBE2V1
Alternative Name:	UBE2V1 (UBE2V1 Products)
Background:	Background: Has no ubiquitin ligase activity on its own. The UBE2V1-UBE2N heterodimer catalyzes the synthesis of non-canonical poly-ubiquitin chains that are linked through Lys-63.

Target Details

This type of poly-ubiquitination activates IKK and does not seem to involve protein degradation by the proteasome. Plays a role in the activation of NF-kappa-B mediated by IL1B, TNF, TRAF6 and TRAF2. Mediates transcriptional activation of target genes. Plays a role in the control of progress through the cell cycle and differentiation. Plays a role in the error-free DNA repair pathway and contributes to the survival of cells after DNA damage. Promotes TRIM5 capsid-specific restriction activity and the UBE2V1-UBE2N heterodimer acts in concert with TRIM5 to generate 'Lys-63'-linked polyubiquitin chains which activate the MAP3K7/TAK1 complex which in turn results in the induction and expression of NF-kappa-B and MAPK-responsive inflammatory genes.

Aliases: CIR1 antibody, CROC-1 antibody, CROC1 antibody, CROC1A antibody, TRAF6-regulated IKK activator 1 beta Uev1A antibody, UB2V1_HUMAN antibody, UBE2V 1 antibody, UBE2V antibody, UBE2V1 antibody, Ubiquitin conjugating enzyme E2 variant 1 antibody, Ubiquitin-conjugating enzyme E2 variant 1 antibody, UEV-1 antibody, UEV1 antibody

UniProt: [Q13404](#)

Pathways: [TCR Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#), [Activation of Innate immune Response](#), [Toll-Like Receptors Cascades](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.