antibodies -online.com





anti-UBA1 antibody (AA 730-881) (FITC)



Go to Product page

()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μg
Target:	UBA1
Binding Specificity:	AA 730-881
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBA1 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Ubiquitin-like modifier-activating enzyme 1 protein (730-881AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	UBA1	
Alternative Name:	UBA1 (UBA1 Products)	
Background:	Background: Catalyzes the first step in ubiquitin conjugation to mark cellular proteins for	
	degradation through the ubiquitin-proteasome system (PubMed:1606621, PubMed:1447181).	

Activates ubiquitin by first adenylating its C-terminal glycine residue with ATP, and thereafter linking this residue to the side chain of a cysteine residue in E1, yielding a ubiquitin-E1 thioester and free AMP (PubMed:1447181). Essential for the formation of radiation-induced foci, timely DNA repair and for response to replication stress. Promotes the recruitment of TP53BP1 and BRCA1 at DNA damage sites (PubMed:22456334).

Aliases: A1S9 antibody, A1S9 protein antibody, A1S9T and BN75 temperature sensitivity complementing antibody, A1S9T antibody, A1ST antibody, AMCX1 antibody, CFAP124 antibody, CTD-2522E6.1 antibody, GXP 1 antibody, GXP1 antibody, MGC4781 antibody, POC20 antibody, POC20 centriolar protein homolog antibody, Protein A1S9 antibody, SMAX2 antibody, Uba1 antibody, UBA1, ubiquitin-activating enzyme E1 homolog A antibody, UBA1_HUMAN antibody, UBA1A antibody, UBE 1 antibody, UBE 1X antibody, UBE1 antibody, UBE1X antibody, Ubiquitin activating enzyme E1 antibody, Ubiquitin-like modifier-activating enzyme 1 antibody

UniProt:

P22314

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	