

[Go to Product page](#)

Datasheet for ABIN7174680

anti-ULBP1 antibody (AA 26-216) (FITC)

Overview

Quantity:	100 µg
Target:	ULBP1
Binding Specificity:	AA 26-216
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ULBP1 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human UL16-binding protein 1 protein (26-216AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	ULBP1
Alternative Name:	ULBP1 (ULBP1 Products)
Background:	Background: Ligand for the KLRK1/NKG2D receptor, together with at least ULBP2 and ULBP3. ULBPs activate multiple signaling pathways in primary NK cells, resulting in the production of

Target Details

cytokines and chemokines. Binding of ULBPs ligands to KLRK1/NKG2D induces calcium mobilization and activation of the JAK2, STAT5, ERK and PI3K kinase/Akt signal transduction pathway. In CMV infected cells, interacts with soluble CMV glycoprotein UL16. The interaction with UL16 blocked the interaction with the KLRK1/NKG2D receptor, providing a mechanism by which CMV infected cells might escape the immune system. UL16 also causes ULBP1 to be retained in the ER and cis-Golgi apparatus so that it does not reach the cell surface.

Aliases: Alcan beta antibody, ALCAN-beta antibody, N2DL-1 antibody, N2DL1 antibody, N2DL1_HUMAN antibody, NKG2D ligand 1 antibody, NKG2D ligand 1 precursor antibody, NKG2DL1 antibody, RAET1I antibody, Retinoic acid early transcript 1I antibody, UL16 antibody, UL16 binding protein 1 antibody, UL16-binding protein 1 antibody, ULBP1 antibody

UniProt: [Q9BZM6](#)

Pathways: [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.