

Datasheet for ABIN7174755
anti-C17orf64 antibody (AA 111-236)



[Go to Product page](#)

3 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µg |
| Target: | C17orf64 |
| Binding Specificity: | AA 111-236 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This C17orf64 antibody is un-conjugated |
| Application: | ELISA, Western Blotting (WB), Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|--|
| Immunogen: | Recombinant Human Uncharacterized protein C17orf64 protein (111-236AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|--|
| Target: | C17orf64 |
| Alternative Name: | C17orf64 (C17orf64 Products) |
| Background: | C17orf64 antibody, Chromosome 17 open reading frame 64 antibody, CQ064_HUMAN antibody, Hypothetical protein LOC124773 antibody, Uncharacterized protein C17orf64 |

Target Details

antibody

UniProt: [Q86WR6](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Western Blotting

Image 1. Western blot All lanes: C17orf64 antibody at 4 μ g/mL + Mouse gonadal tissue Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 28 kDa
Observed band size: 28 kDa



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7174755 at dilution of 1:100



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human prostate cancer using ABIN7174755 at dilution of 1:100