# antibodies .- online.com





# anti-MYO1E antibody (AA 62-189) (HRP)



#### Overview

Quantity:	100 μg
Target:	MY01E
Binding Specificity:	AA 62-189
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYO1E antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Unconventional myosin-le protein (62-189AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	MY01E
Alternative Name:	MY01E (MY01E Products)
Background:	Background: Myosins are actin-based motor molecules with ATPase activity. Unconventional
	myosins serve in intracellular movements. Their highly divergent tails bind to membranous

compartments, which are then moved relative to actin filaments. Binds to membranes containing anionic phospholipids via its tail domain. Required for normal morphology of the glomerular basement membrane, normal development of foot processes by kidney podocytes and normal kidney function. In dendritic cells, may control the movement of class II-containing cytoplasmic vesicles along the actin cytoskeleton by connecting them with the actin network via ARL14EP and ARL14.

Aliases: FSGS6 antibody, HuncM-IC antibody, MYO1C antibody, Myo1e antibody, MYO1E variant protein antibody, MYO1E\_HUMAN antibody, Myosin heavy chain myr 3 antibody, Myosin IC, formerly antibody, Myosin IE antibody, Myosin-Ic antibody, Myr 3 antibody, Myr3 antibody, MYR5 antibody, Unconventional myosin 1E antibody, Unconventional myosin-le antibody, Unconventional myosin-le antibody

UniProt: Q12965

Pathways: Platelet-derived growth Factor Receptor Signaling

## **Application Details**

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.