



[Go to Product page](#)

Datasheet for ABIN7175045
anti-C16ORF87 antibody (AA 1-154)

2 Images

Overview

Quantity:	100 µg
Target:	C16ORF87
Binding Specificity:	AA 1-154
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C16ORF87 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunoprecipitation (IP)

Product Details

Immunogen:	Recombinant Human UPF0547 protein C16orf87 protein (1-154AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	C16ORF87
Alternative Name:	C16orf87 (C16ORF87 Products)
Background:	C16orf87 antibody, Chromosome 16 open reading frame 87 antibody, CP087_HUMAN antibody, Hypothetical protein LOC388272 antibody, MGC62018 antibody, UPF0547 protein

Target Details

C16orf87 antibody

UniProt: [Q6PH81](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IP:1:200-1:2000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Immunoprecipitating C16orf87 in HepG2 whole cell lysate Lane 1: Rabbit control IgG instead of ABIN7175045 in HepG2 whole cell lysate. For western blotting, a HRP-conjugated Protein G antibody was used as the secondary antibody (1/2000) Lane 2: ABIN7175045 (8 μ g) + HepG2 whole cell lysate (500 μ g) Lane 3: HepG2 whole cell lysate (10 μ g)



Western Blotting

Image 2. Western blot All lanes: C16orf87 antibody at 3 μ g/mL + HepG2 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 18, 11 kDa Observed band size: 18 kDa