antibodies - online.com







anti-WDR35 antibody (AA 954-1181)



Image



Overview

Quantity:	100 μL
Target:	WDR35
Binding Specificity:	AA 954-1181
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR35 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human WD repeat-containing protein 35 protein (954-1181AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	WDR35	
Alternative Name:	WDR35 (WDR35 Products)	
Background:	Background: Component of the IFT complex A (IFT-A), a complex required for retrograde ciliary	
	transport. Required for ciliogenesis. May promote CASP3 activation and TNF-stimulated	

\sim	\sim	nt	OS	\sim
а	ווו	יונו	1.5	. `

Aliases: Intraflagellar transport protein 121 homolog antibody, KIAA1336 antibody, MGC33196 antibody, Naofen antibody, WD repeat domain 35 antibody, WD repeat-containing protein 35 antibody, WDR35 antibody, WDR35_HUMAN antibody

UniProt: Q9P2L0

Pathways: Hedgehog Signaling


Application Details

Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only

Handling

Handling		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which shou handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	

Images



Immunohistochemistry

Image 1. IHC image of ABIN7175742 diluted at 1:200 and staining in paraffin-embedded human pancreatic cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and



visualized using an HRP conjugated SP system.