

Datasheet for ABIN7175746  
**anti-WDR37 antibody (AA 1-264)**



[Go to Product page](#)

3 Images

### Overview

Quantity:	100 µg
Target:	WDR37
Binding Specificity:	AA 1-264
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR37 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)

### Product Details

Immunogen:	Recombinant Human WD repeat-containing protein 37 protein (1-264AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	WDR37
Alternative Name:	WDR37 ( <a href="#">WDR37 Products</a> )
Background:	FLJ40354 antibody, KIAA0982 antibody, OTTHUMP00000018956 antibody, RP11-529L18.2 antibody, WD repeat containing protein 37 antibody, WD repeat domain 37 antibody, WD repeat-

## Target Details

containing protein 37 antibody, Wdr37 antibody, WDR37\_HUMAN antibody

UniProt: [Q9Y2I8](#)

## Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200,

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

## Images




### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human tonsil tissue using ABIN7175746 at dilution of 1:100



### Western Blotting

**Image 2.** Western blot All lanes: WDR37 antibody at 7  $\mu$ g/mL + HepG2 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 55, 30 kDa Observed band size: 55 kDa



### Immunohistochemistry

**Image 3.** Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7175746 at dilution of 1:100