



[Go to Product page](#)

Datasheet for ABIN7175757
anti-WDR49 antibody (AA 251-500)

3 Images

Overview

Quantity:	100 µg
Target:	WDR49
Binding Specificity:	AA 251-500
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR49 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human WD repeat-containing protein 49 protein (251-500AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	WDR49
Alternative Name:	WDR49 (WDR49 Products)
Background:	WDR49WD repeat-containing protein 49 antibody
UniProt:	Q8IV35

Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human thyroid tissue using ABIN7175757 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: WDR49 antibody at 7 μ g/mL Lane 1: A549 whole cell lysate Lane 2: Hela whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 80, 60 kDa Observed band size: 80 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human small intestine tissue using ABIN7175757 at dilution of 1:100