## antibodies .- online.com





Datasheet for ABIN7175868

Overview

Alternative Name:

Background:

## anti-WAC antibody (AA 10-102) (Biotin)



Overview	
Quantity:	100 μg
Target:	WAC
Binding Specificity:	AA 10-102
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WAC antibody is conjugated to Biotin
Application:	ELISA
Product Details	
Immunogen:	Recombinant Human WW domain-containing adapter protein with coiled-coil protein (10-
	102AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified
Target Details	
Target:	WAC

Background: Acts as a linker between gene transcription and histone H2B monoubiquitination

WAC (WAC Products)

at \\\'Lys-120\\\' (H2BK120ub1). Interacts with the RNA polymerase II transcriptional machinery via its WW domain and with RNF20-RNF40 via its coiled coil region, thereby linking and regulating H2BK120ub1 and gene transcription. Regulates the cell-cycle checkpoint activation in response to DNA damage. Positive regulator of amino acid starvation-induced autophagy. May negatively regulate the ubiquitin proteasome pathway.

Aliases: 1110067P07Rik antibody, BA48B24 antibody, BA48B24.1 antibody, BM 016 antibody, FLJ31290 antibody, KIAA1844 antibody, MGC10753 antibody, OTTHUMP00000019380 antibody, OTTHUMP00000019382 antibody, PR01741 antibody, wac antibody, WAC\_HUMAN antibody, WW domain containing adapter protein with coiled coil antibody, WW domain containing adapter protein with coiled-coil antibody, Wwp4 antibody

UniProt:

O9BTA9

Pathways:

**Chromatin Binding** 

## **Application Details**

Application Notes:

Optimal working dilution should be determined by the investigator.

Restrictions:

For Research Use only

## Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.