antibodies .- online.com





anti-XAF1 antibody (AA 172-259) (Biotin)



Overview

Quantity:	100 μg
Target:	XAF1
Binding Specificity:	AA 172-259
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This XAF1 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human XIAP-associated factor 1 protein (172-259AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	XAF1
Alternative Name:	XAF1 (XAF1 Products)
Background:	Background: Seems to function as a negative regulator of members of the IAP (inhibitor of
	apoptosis protein) family. Inhibits anti-caspase activity of BIRC4. Induces cleavage and

inactivation of BIRC4 independent of caspase activation. Mediates TNF-alpha-induced apoptosis and is involved in apoptosis in trophoblast cells. May inhibit BIRC4 indirectly by activating the mitochondrial apoptosis pathway. After translocation to mitochondra, promotes translocation of BAX to mitochondria and cytochrome c release from mitochondria. Seems to promote the redistribution of BIRC4 from the cytoplasm to the nucleus, probably independent of BIRC4 inactivation which seems to occur in the cytoplasm. The BIRC4-XAF1 complex mediates down-regulation of BIRC5/survivin, the process requires the E3 ligase activity of BIRC4. Seems to be involved in cellular sensitivity to the proapoptotic actions of TRAIL. May be a tumor suppressor by mediating apoptosis resistance of cancer cells.

Aliases: BIRC 4 binding protein antibody, BIRC4 binding protein antibody, BIRC4-binding protein antibody, BIRC4BP antibody, HSXIAPAF1 antibody, HSXIAPAF1 antibody, XIAP-associated factor 1 antibody, XIAP-associated factor 1 antibody, XIAPAF1 antibody

UniProt:

Q6GPH4

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.