



[Go to Product page](#)

Datasheet for ABIN7176024
anti-ZBED3 antibody (AA 1-234)

1 Image

Overview

Quantity:	100 µL
Target:	ZBED3
Binding Specificity:	AA 1-234
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZBED3 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Zinc finger BED domain-containing protein 3 protein (1-234AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	ZBED3
Alternative Name:	ZBED3 (ZBED3 Products)
Target Type:	Viral Protein
Background:	Background: Acts as a positive regulator in the activation of the canonical Wnt/beta-catenin

Target Details

signaling pathway by stabilizing cytoplasmic beta-catenin. Involved in transcription activation of Wnt target gene expression (By similarity).

Aliases: MGC15435 antibody, ZBED3 antibody, ZBED3_HUMAN antibody, Zinc finger BED domain containing 3 antibody, Zinc finger BED domain-containing protein 3 antibody, Zinc finger BED type containing 3 antibody

UniProt: [Q96IU2](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. IHC image of ABIN7176024 diluted at 1:100 and staining in paraffin-embedded human colon cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and

visualized using an HRP conjugated SP system.