antibodies -online.com





anti-ZNF644 antibody (AA 752-913)





Go to Product page

Overview

Quantity:	100 μg
Target:	ZNF644
Binding Specificity:	AA 752-913
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF644 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Zinc finger protein 644 protein (752-913AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	ZNF644
Alternative Name:	ZNF644 (ZNF644 Products)
Background:	Background: May be involved in transcriptional regulation.
	Aliases: BM005 antibody, KIAA1221 antibody, RGD1306805 antibody, Zep-2 antibody, Zep2

Target Details

antibody, Zinc finger motif enhancer binding protein 2 antibody, Zinc finger motif enhance	r-
binding protein 2 antibody, Zinc finger protein 644 antibody, Zinc finger protein 644, isofor	m 2
antibody, ZN644_HUMAN antibody, ZNF644 antibody	

UniProt:

Q9H582


Application Details

Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. IHC image of ABIN7176465 diluted at 1:200 and staining in paraffin-embedded human breast cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.