antibodies -online.com





anti-GLI4 antibody (AA 7-184)





Go to Product page

\sim	
Over\	$/1 \triangle 1 \Lambda /$
OVEIV	/ I C V V

Quantity:	100 μg
Target:	GL14
Binding Specificity:	AA 7-184
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLI4 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Zinc finger protein GLI4 protein (7-184AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	GLI4
Alternative Name:	GLI4 (GLI4 Products)
Background:	Background: transcription factor activity, sequence-specific DNA binding, regulation of
	transcription, DNA-templated

Target Details

	Aliases: GLI4 antibody, HKR4Zinc finger protein GLI4 antibody, Krueppel-related zinc finger
	protein 4 antibody, Protein HKR4 antibody
UniProt:	P10075


Application Details

Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. IHC image of ABIN7176578 diluted at 1:300 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.