antibodies - online.com







anti-ZFX antibody (AA 711-805)





()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μg
Target:	ZFX
Binding Specificity:	AA 711-805
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZFX antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Zinc finger X-chromosomal protein (711-805AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	ZFX
Alternative Name:	ZFX (ZFX Products)
Background:	Background: Probable transcriptional activator.
	Aliases: X-linked zinc finger protein antibody, zfx antibody, ZFX_HUMAN antibody, Zinc finger

Target Details

	protein, X-linked antibody, Zinc Finger X Chromosomal Protein antibody, Zinc finger X-
	chromosomal protein antibody, ZNF926 antibody
UniProt:	P17010


Application Details

Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	

Images



Immunohistochemistry

Image 1. IHC image of ABIN7176659 diluted at 1:400 and staining in paraffin-embedded human glioma performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.