# antibodies -online.com





## anti-PPP1CB antibody (Catalytic Subunit) (Biotin)

Mouse

>95%, Protein G purified



Go to Product page

$\sim$			
	N/P	r\/I	i⊢₩

Quantity:	100 μg
Target:	PPP1CB
Binding Specificity:	AA 2-327, Catalytic Subunit
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPP1CB antibody is conjugated to Biotin
Application:	ELISA
Product Details	
Immunogen:	Recombinant Mouse Serine/threonine-protein phosphatase PP1-beta catalytic subunit protein (2-327AA)
Isotype:	IgG

### **Target Details**

Cross-Reactivity:

Purification:

3-1	
Target:	PPP1CB
Alternative Name:	Ppp1cb (PPP1CB Products)
Background: Background: Protein phosphatase that associates with over 200 regulatory proteins t	

highly specific holoenzymes which dephosphorylate hundreds of biological targets. Protein phosphatase (PP1) is essential for cell division, it participates in the regulation of glycogen metabolism, muscle contractility and protein synthesis. Involved in regulation of ionic conductances and long-term synaptic plasticity. Component of the PTW/PP1 phosphatase complex, which plays a role in the control of chromatin structure and cell cycle progression during the transition from mitosis into interphase. In balance with CSNK1D and CSNK1E, determines the circadian period length, through the regulation of the speed and rhythmicity of PER1 and PER2 phosphorylation. May dephosphorylate CSNK1D and CSNK1E.

Aliases: Ppp1cb antibody, Serine/threonine-protein phosphatase PP1-beta catalytic subunit antibody, PP-1B antibody, EC 3.1.3.16 antibody, EC 3.1.3.53 antibody

UniProt:

P62141

Pathways:

M Phase, Cellular Glucan Metabolic Process, Regulation of Carbohydrate Metabolic Process, Lipid Metabolism

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	

### Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	