-online.com antibodies

## Datasheet for ABIN7177929 anti-CTCFL antibody (AA 1-636) (FITC)



$\sim$		•	
( )	/er	110	\ A /
1 1	/ PI V		W
$\sim$		VIC	v v

Quantity:	100 µg
Target:	CTCFL
Binding Specificity:	AA 1-636
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTCFL antibody is conjugated to FITC
Application:	Please inquire

## Product Details

Immunogen:	Recombinant Mouse Transcriptional repressor CTCFL protein (1-636AA)
Isotype:	lgG
Cross-Reactivity:	Mouse
Purification:	>95%, Protein G purified

## Target Details

Target:	CTCFL	
Alternative Name:	Ctcfl (CTCFL Products)	
Background:	Background: Testis-specific DNA binding protein responsible for insulator function, nuclear	
	architecture and transcriptional control, which probably acts by recruiting epigenetic chromatin	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7177929 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Storage:

Storage Comment:

	modifiers. Plays a key role in gene imprinting in male germline, by participating in the
	establishment of differential methylation at the IGF2/H19 imprinted control region (ICR).
	Directly binds the unmethylated H19 ICR and recruits the PRMT7 methyltransferase, leading to
	methylate histone H4 \\\'Arg-3\\\' to form H4R3sme2. This probably leads to recruit de novo
	DNA methyltransferases at these sites. Seems to act as tumor suppressor. In association with
	DNMT1 and DNMT3B, involved in activation of BAG1 gene expression by binding to its
	promoter. Required for dimethylation of H3 lysine 4 (H3K4me2) of MYC and BRCA1 promoters.
	Aliases: Ctcfl antibody, Boris antibody, Transcriptional repressor CTCFL antibody, Brother of the
	regulator of imprinted sites antibody, CCCTC-binding factor antibody, CTCF paralog antibody,
	CTCF-like protein antibody
UniProt:	A2APF3
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

-20 °C,-80 °C