

Datasheet for ABIN7177995
anti-ADCK2 antibody (AA 200-609)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µg
Target:	ADCK2
Binding Specificity:	AA 200-609
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ADCK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Mouse Uncharacterized aarF domain-containing protein kinase 2 protein (200-609AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	>95%, Protein G purified

Target Details

Target:	ADCK2
Alternative Name:	Adck2 (ADCK2 Products)
Background:	Background: The function of this protein is not yet clear. It is not known if it has protein kinase

Target Details

activity and what type of substrate it would phosphorylate (Ser, Thr or Tyr).

Aliases: Adck2Uncharacterized aarF domain-containing protein kinase 2 antibody, EC 2.7.11.-antibody

UniProt: [Q6NSR3](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human prostate cancer using ABIN7177995 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: Adck2 antibody at 2 µg/mL + K562 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 69 kDa Observed band size: 69 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7177995 at dilution of 1:100