

# Datasheet for ABIN7179084

# anti-SOCS3 antibody (AA 1-225) (HRP)



_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μg
Target:	SOCS3
Binding Specificity:	AA 1-225
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SOCS3 antibody is conjugated to HRP
Application:	ELISA

## **Product Details**

Immunogen:	Recombinant Rat Suppressor of cytokine signaling 3 protein (1-225AA)
Isotype:	IgG
Cross-Reactivity:	Rat
Purification:	>95%, Protein G purified

### **Target Details**

Target:	SOCS3
Alternative Name:	Socs3 (SOCS3 Products)
Background:	Background: SOCS family proteins form part of a classical negative feedback system that
	regulates cytokine signal transduction. SOCS3 is involved in negative regulation of cytokines

that signal through the JAK/STAT pathway. Inhibits cytokine signal transduction by binding to tyrosine kinase receptors including gp130, LIF, erythropoietin, insulin, IL12, GCSF and leptin receptors. Binding to JAK2 inhibits its kinase activity. Suppresses fetal liver erythropoiesis. Regulates onset and maintenance of allergic responses mediated by T-helper type 2 cells. Regulates IL-6 signaling in vivo. Probable substrate-recognition component of a SCF-like ECS (Elongin BC-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. Seems to recognize IL6ST (By similarity).

Aliases: Socs3 antibody, Cish3Suppressor of cytokine signaling 3 antibody, SOCS-3 antibody, Cytokine-inducible SH2 protein 3 antibody

UniProt: 088583

Pathways: JAK-STAT Signaling, Response to Growth Hormone Stimulus, Hepatitis C

#### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	