



[Go to Product page](#)

Datasheet for ABIN7180274
anti-RELT antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	RELT
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RELT antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthesized peptide derived from C-terminal of Human TR19L.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	RELT
Alternative Name:	RELT (RELT Products)
Background:	Background: Mediates activation of NF-kappa-B. May play a role in T-cell activation.

Target Details

Sica G.L., Blood 97:2702-2707(2001).

Ota T., Nat. Genet. 36:40-45(2004).

Cusick J.K., Biochem. Biophys. Res. Commun. 340:535-543(2006).

Aliases: Receptor expressed in lymphoid tissues antibody, Relt antibody, TNFRSF19L antibody, TR19L_HUMAN antibody, Tumor necrosis factor receptor superfamily member 19L antibody

UniProt: [Q969Z4](#)

Application Details

Application Notes: WB:1:500-1:3000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot analysis of extracts from Jurkat cells, COLO205 cells, 293 cells and HepG2 cells, using TR19L antibody.