

Datasheet for ABIN7180514
anti-BAD antibody (pSer155)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	BAD
Binding Specificity:	pSer155
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAD antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from Human Bad around the phosphorylation site of S155.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	BAD
Alternative Name:	BAD (BAD Products)
Background:	AI325008 antibody, BAD antibody, BAD_HUMAN antibody, BBC 2 antibody, BBC2 antibody,

Target Details

BBC6 antibody, Bcl 2 Antagonist of Cell Death antibody, Bcl 2 Binding Component 6 antibody, BCL X / BCL 2 Binding Protein antibody, BCL X Binding Protein antibody, Bcl XL/Bcl 2 Associated Death Promoter antibody, Bcl-2-binding component 6 antibody, Bcl-2-like protein 8 antibody, Bcl-XL/Bcl-2-associated death promoter antibody, Bcl2 antagonist of cell death antibody, BCL2 antagonist of cell death protein antibody, BCL2 associated agonist of cell death antibody, Bcl2 Associated Death Promoter antibody, BCL2 binding component 6 antibody, BCL2 binding protein antibody, Bcl2 Like 8 Protein antibody, Bcl2-L-8 antibody, BCL2L8 antibody, Proapoptotic BH3 Only Protein antibody


UniProt:	Q92934
Pathways:	MAPK Signaling , PI3K-Akt Signaling , RTK Signaling , Apoptosis , Fc-epsilon Receptor Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Carbohydrate Homeostasis , Positive Regulation of Endopeptidase Activity , Regulation of Carbohydrate Metabolic Process , Hepatitis C , CXCR4-mediated Signaling Events

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of 293 cells using Phospho-Bad (S155) Polyclonal Antibody