

Datasheet for ABIN7180527
anti-Bcl-2 antibody (pSer70)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	Bcl-2 (BCL2)
Binding Specificity:	pSer70
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Bcl-2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunoprecipitation (IP)

Product Details

Immunogen:	Synthesized peptide derived from Human Bcl-2 around the phosphorylation site of S70.
Isotype:	IgG
Cross-Reactivity:	Human, Monkey
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	Bcl-2 (BCL2)
Alternative Name:	BCL2 (BCL2 Products)
Background:	Apoptosis regulator Bcl 2 antibody, Apoptosis regulator Bcl-2 antibody, Apoptosis regulator

Target Details

Bcl2 antibody, AW986256 antibody, B cell CLL/lymphoma 2 antibody, B cell leukemia/lymphoma 2 antibody, Bcl-2 antibody, Bcl2 antibody, BCL2_HUMAN antibody, C430015F12Rik antibody, D630044D05Rik antibody, D830018M01Rik antibody, Leukemia/lymphoma, B-cell, 2 antibody, Oncogene B-cell leukemia 2 antibody, PPP1R50 antibody, Protein phosphatase 1 regulatory subunit 50 antibody, Protein phosphatase 1, regulatory subunit 50 antibody


UniProt:	P10415
Pathways:	MAPK Signaling , PI3K-Akt Signaling , Apoptosis , Caspase Cascade in Apoptosis , Regulation of Muscle Cell Differentiation , Cell-Cell Junction Organization , Skeletal Muscle Fiber Development , Autophagy , Smooth Muscle Cell Migration , Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IP:2-5 µg, ELISA:1:10000,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of VEC cells using Phospho-Bcl-2 (S70) Polyclonal Antibody



Western Blotting

Image 2. Western Blot analysis of HeLa cells using Phospho-Bcl-2 (S70) Polyclonal Antibody